


(4) Mounting Holes for M10 [3/8"] Screws. See Detail A for top mounting hole dimensions.

(2)-Lifting Holes Ø30 [Ø1.18]
Note: Spreader bar required to avoid damage during lifting

Center of Gravity
Note: Dimensions shown are measured from the bottom left mounting hole

Detail A
Top mounting hole dimensions
Scale 1:1



The dimensions shown are for an IP20 Type Drive that has been converted to a NEMA Type 1 Drive by adding the parts from Fuse Ready NEMA 1 Kit part number UUX002315





C/C:	INPUT VOLTAGE	WEIGHT	COOLING
GA80□	3-PHASE (VAC)	Kg (lb)	FANS
2257□□□	200 TO 240	85 (187.0)	2
2313□□□		85 (187.0)	2
4208□□□	380 TO 480	89 (195.8)	2
4250□□□		89 (195.8)	2
4302□□□		89 (195.8)	2
5125□□□	500 TO 600	89 (195.8)	2
5144□□□		89 (195.8)	2

□ denotes A-Z

YASKAWA		DRWN. J. MATTAS	5-20-24	TITLE GA80 DIMENSION DRAWING FRAME SIZE 9 FUSE READY NEMA TYPE 1 ENCLOSURE	SIZE A	PAGE 1 OF 3	REV 0
	UNITS MM [IN]	CHKD. J. PIOTROWSKI	6-6-24		DWG.NO.		
	SCALE 1:12	TECH. L. UDDIN	6-16-24		DD.GA80.FR9.N1.F		
	APRV. M. BAUMGARDNER	7-8-24					



Detail without Type 1 Protective Covers (Kit)



C/C:	TERMINAL SYMBOL	WIRE RANGE AWG (mm ²)	TERMINAL SCREW	CLAMPING TORQUE N.m. (lb.in.)
GA80□	R/L1, S/L2, T/L3	3 - 4/0 x 2P (30 - 120 x 2P)	M10	20 (177)
2257□□□	U/T1, V/T2, W/T3	3 - 4/0 x 2P (30 - 120 x 2P)	M10	20 (177)
2313□□□	- , +1, +3	2 - 250 x 2P (35 - 120 x 2P)	M10	20 (177)
4208□□□	⊕	2 - 350 (35 - 185)	M10	18 - 23 (159 - 204)
4250□□□				
4302□□□				
5125□□□				
5144□□□				

□ Denotes A-Z
 Note: Refer to applicable codes and standards for proper wire type and size.



UNITS MM [IN]
 SCALE 1:8


DRWN. J. MATTAS 5-20-24
 CHKD. J. PIOTROWSKI 6-6-24
 TECH. L. UDDIN 6-16-24
 APRV. M. BAUMGARDNER 7-8-24

TITLE
 GA800 DIMENSION DRAWING
 FRAME SIZE 9
 FUSE READY
 NEMA TYPE 1 ENCLOSURE

SIZE A PAGE 2 OF 3
 DWG.NO. DD.GA80.FR9.N1.F


REV 0

Minimum Installation Clearances (Scale 1:12)



Note:
For alternate mounting configurations, consult manual.

YASKAWA



UNITS MM [IN]
SCALE ABOVE

DRWN.	J. MATTAS	5-20-24
CHKD.	J. PIOTROWSKI	6-6-24
TECH.	L. UDDIN	6-16-24
APRV.	M. BAUMGARDNER	7-8-24

TITLE
GA800 DIMENSION DRAWING
FRAME SIZE 9
FUSE READY
NEMA TYPE 1 ENCLOSURE

SIZE	A	PAGE	3 OF 3
DWG.NO.	DD.GA80.FR9.N1.F		

REV
0